

Open Style Control Transformers: Selection Tables

GROUP A

PRIMARY VOLTAGE 600/480

SECONDARY VOLTAGE 120X240

60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	DTG0050UH	4	0.42/0.21	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,9
75	DTG0075UH	4	0.63/0.31	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,1
100	DTG0100UH	4	0.83/0.42	3.00 [76]	3.86 [98]	3.13 [79]	2.52 [64]	2.60 [66]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	2,6
150	DTG0150UH	4	1.25/0.63	3.00 [76]	4.41 [112]	3.13 [79]	2.52 [64]	3.15 [80]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,7
250	DTG0250UH	6	2.08/1.04	3.75 [95]	4.22 [107]	3.70 [94]	3.31 [84]	2.99 [76]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	5,7
350	DTG0350UH	6	2.92/1.46	3.75 [95]	4.81 [122]	3.70 [94]	3.31 [84]	3.58 [91]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	7,2
500	DTG0500UH	6	4.17/2.08	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,5
750	DTG0750UH	6	6.25/3.13	4.50 [114]	5.52 [140]	4.22 [107]	3.78 [96]	4.37 [111]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	13,6
1000	DTG1000UH	6	8.33/4.17	5.25 [133]	6.54 [166]	4.76 [121]	4.50 [114]	4.84 [123]	.31 X .81 [7.9] X [20.6]	5.07 [129]	6.06 [154]	20,4
1500	DTG1500UH	6	12.50/6.25	6.37 [162]	6.85 [174]	5.70 [145]	5.75 [146]	4.84 [123]	.31 X .94 [7.9] X [23.8]	5.85 [149]	7.00 [178]	32,1
2000	DTG2000UH	6	16.67/8.33	6.37 [162]	7.25 [184]	5.70 [145]	5.75 [146]	5.23 [133]	.31 X .94 [7.9] X [23.8]	5.85 [149]	7.00 [178]	35,4
3000	DTG3000UH	6	25.00/12.50	7.50 [191]	8.47 [215]	6.67 [169]	6.30 [160]	7.05 [179]	.44 X 1.00 [11.1] X [25.4]	6.67 [169]	7.97 [202]	56,5

5000	DTG5000UH	L	41.67/20.83	9.00 [229]	10.02 [255]	7.92 [201]	7.43 [189]	8.35 [212]	.44 X 1.00 [11.1] X [25.4]	N/A	9.22 [234]	91,4
------	-----------	---	-------------	------------	-------------	------------	------------	------------	-------------------------------	-----	------------	------

GROUP B

PRIMARY VOLTAGE 600

SECONDARY VOLTAGE 24

60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	DTG0050QC	4	2,08	2.63 [67]	3.35 [85]	2.86 [73]	2.13 [54]	2.05 [52]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,3
75	DTG0075QC	4	3,13	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,0
100	DTG0100QC	4	4,17	2.63 [67]	4.14 [105]	2.86 [73]	2.13 [54]	2.83 [72]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,4
150	DTG0150QC	4	6,25	3.00 [76]	4.26 [108]	3.13 [79]	2.52 [64]	2.95 [75]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,4
250	DTG0250QC	6	10,42	3.75 [95]	4.22 [107]	3.70 [94]	3.31 [84]	2.99 [76]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	5,5
350	DTG0350QC	6	14,58	3.75 [95]	4.81 [122]	3.70 [94]	3.31 [84]	3.58 [91]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	7,1
500	DTG0500QC	6	20,83	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,3

GROUP D

PRIMARY VOLTAGE 380/347

SECONDARY VOLTAGE 120X240

50/60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	DTG0050LH	4	0.42/0.21	2.63 [67]	3.67 [93]	2.86 [73]	2.13 [54]	2.36 [60]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,7

75	DTG0075LH	4	0.63/0.31	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,1
100	DTG0100LH	4	0.83/0.42	3.00 [76]	3.86 [98]	3.13 [79]	2.52 [64]	2.60 [66]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	2,7
150	DTG0150LH	4	1.25/0.63	3.00 [76]	4.41 [112]	3.13 [79]	2.52 [64]	3.15 [80]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,7
250	DTG0250LH	6	2.08/1.04	3.75 [95]	4.22 [107]	3.70 [94]	3.31 [84]	2.99 [76]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	5,7
350	DTG0350LH	6	2.92/1.46	3.75 [95]	4.81 [122]	3.70 [94]	3.31 [84]	3.58 [91]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	7,3
500	DTG0500LH	6	4.17/2.08	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,3
750	DTG0750LH	6	6.25/3.13	5.25 [133]	5.36 [136]	4.76 [121]	4.50 [114]	3.66 [93]	.31 X .81 [7.9] X [20.6]	5.07 [129]	6.06 [154]	15,0
1000	DTG1000LH	6	8.33/4.17	5.25 [133]	6.54 [166]	4.76 [121]	4.50 [114]	4.84 [123]	.31 X .81 [7.9] X [20.6]	5.07 [129]	6.06 [154]	20,7
1500	DTG1500LH	6	12.50/6.25	6.37 [162]	6.85 [174]	5.70 [145]	5.75 [146]	4.84 [123]	.31 X .94 [7.9] X [23.8]	5.85 [149]	7.00 [178]	32,4

GROUP E

PRIMARY VOLTAGE 380/347

SECONDARY VOLTAGE 24

50/60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	DTG0050LC	4	2,08	2.63 [67]	3.67 [93]	2.86 [73]	2.13 [54]	2.36 [60]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,7
75	DTG0075LC	4	3,13	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,1
100	DTG0100LC	4	4,17	3.00 [76]	3.86 [98]	3.13 [79]	2.52 [64]	2.60 [66]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	2,7
150	DTG0150LC	4	6,25	3.00 [76]	4.41 [112]	3.13 [79]	2.52 [64]	3.15 [80]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,7

250	DTG0250LC	6	10,42	3.75 [95]	4.22 [107]	3.70 [94]	3.31 [84]	2.99 [76]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	5,8
350	DTG0350LC	6	14,58	3.75 [95]	5.00 [127]	3.70 [94]	3.31 [84]	3.78 [96]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	7,8
500	DTG0500LC	6	20,83	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,5

GROUP J

PRIMARY VOLTAGE 240X480

SECONDARY VOLTAGE 120X240

50/60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	DTG0050PH	4	0.42/0.21	2.63 [67]	3.47 [88]	2.86 [73]	2.13 [54]	2.17 [55]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,5
75	DTG0075PH	4	0.63/0.31	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,1
100	DTG0100PH	4	0.83/0.42	3.00 [76]	3.86 [98]	3.13 [79]	2.52 [64]	2.60 [66]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	2,6
150	DTG0150PH	4	1.25/0.63	3.00 [76]	4.41 [112]	3.13 [79]	2.52 [64]	3.15 [80]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,8
250	DTG0250PH	6	2.08/1.04	3.75 [95]	4.22 [107]	3.70 [94]	3.31 [84]	2.99 [76]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	5,7
350	DTG0350PH	6	2.92/1.46	3.75 [95]	4.81 [122]	3.70 [94]	3.31 [84]	3.58 [91]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	7,2
500	DTG0500PH	6	4.17/2.08	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,6
750	DTG0750PH	6	6.25/3.13	5.25 [133]	5.75 [146]	4.76 [121]	4.50 [114]	4.05 [103]	.31 X .81 [7.9] X [20.6]	5.11 [130]	6.06 [154]	16,6
1000	DTG1000PH	6	8.33/4.17	5.25 [133]	6.54 [166]	4.76 [121]	4.50 [114]	4.84 [123]	.31 X .81 [7.9] X [20.6]	5.07 [129]	6.06 [154]	21,2
1500	DTG1500PH	6	12.50/6.25	6.37 [162]	7.25 [184]	5.70 [145]	5.75 [146]	5.23 [133]	.31 X .94 [7.9] X [23.8]	5.85 [149]	7.00 [178]	34,7

2000	DTG2000PH	6	16.67/8.33	6.37 [162]	7.64 [194]	5.70 [145]	5.75 [146]	5.63 [143]	.31 X .94 [7.9] X [23.8]	5.85 [149]	7.00 [178]	39,0
3000	DTG3000PH	6	25.00/12.50	7.50 [191]	8.47 [215]	6.67 [169]	6.30 [160]	7.24 [184]	.44 X 1.00 [11.1] X [25.4]	6.67 [169]	7.97 [202]	58,8
5000	DTG5000PH	L	41.67/20.83	9.00 [229]	10.02 [255]	7.92 [201]	7.43 [189]	8.03 [204]	.44 X 1.00 [11.1] X [25.4]	N/A	9.22 [234]	104,6

GROUP K

PRIMARY VOLTAGE 277

SECONDARY VOLTAGE 120

50/60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	DTG0050IE	4	0.42	2.63 [67]	3.67 [93]	2.86 [73]	2.13 [54]	2.36 [60]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,7
75	DTG0075IE	4	0.63	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,1
100	DTG0100IE	4	0.83	3.00 [76]	3.86 [98]	3.13 [79]	2.52 [64]	2.60 [66]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	2,6
150	DTG0150IE	4	1.25	3.00 [76]	4.41 [112]	3.13 [79]	2.52 [64]	3.15 [80]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,7
250	DTG0250IE	6	2.08	3.75 [95]	4.22 [107]	3.70 [94]	3.31 [84]	2.99 [76]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	5,7
350	DTG0350IE	6	2.92	3.75 [95]	4.81 [122]	3.70 [94]	3.31 [84]	3.58 [91]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	7,2
500	DTG0500IE	6	4.17	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,3
750	DTG0750IE	6	6.25	5.25 [133]	5.75 [146]	4.76 [121]	4.50 [114]	4.05 [103]	.31 X .81 [7.9] X [20.6]	5.07 [129]	6.06 [154]	16,0
1000	DTG1000IE	6	8.33	5.25 [133]	6.54 [166]	4.76 [121]	4.50 [114]	4.84 [123]	.31 X .81 [7.9] X [20.6]	5.07 [129]	6.06 [154]	20,5
1500	DTG1500IE	6	12.50	6.37 [162]	6.85 [174]	5.70 [145]	5.75 [146]	4.84 [123]	.31 X .94 [7.9] X [23.8]	5.85 [149]	7.00 [178]	32,0

GROUP L

PRIMARY VOLTAGE 120X240

SECONDARY VOLTAGE 24

50/60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	DTG0050HC	4	2,08	2.63 [67]	3.67 [93]	2.86 [73]	2.13 [54]	2.36 [60]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,7
75	DTG0075HC	4	3,13	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,1
100	DTG0100HC	4	4,17	3.00 [76]	3.86 [98]	3.13 [79]	2.52 [64]	2.60 [66]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	2,7
150	DTG0150HC	4	6,25	3.00 [76]	4.41 [112]	3.13 [79]	2.52 [64]	3.15 [80]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,8
250	DTG0250HC	6	10,42	3.75 [95]	4.22 [107]	3.70 [94]	3.31 [84]	2.99 [76]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	5,8
350	DTG0350HC	6	14,58	4.50 [114]	4.41 [112]	4.22 [107]	3.78 [96]	3.27 [83]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	8,8
500	DTG0500HC	6	20,83	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,3

GROUP M

PRIMARY VOLTAGE 240X480

SECONDARY VOLTAGE 24

50/60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	DTG0050PC	4	2,08	2.63 [67]	3.67 [93]	2.86 [73]	2.13 [54]	2.36 [60]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,7
75	DTG0075PC	4	3,13	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,1

100	DTG0100PC	4	4,17	3.00 [76]	4.06 [103]	3.13 [79]	2.52 [64]	2.80 [71]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	2,9
150	DTG0150PC	4	6,25	3.00 [76]	4.41 [112]	3.13 [79]	2.52 [64]	3.15 [80]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,7
250	DTG0250PC	6	10,42	3.75 [95]	4.41 [112]	3.70 [94]	3.31 [84]	3.19 [81]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	6,2
350	DTG0350PC	6	14,58	3.75 [95]	5.00 [127]	3.70 [94]	3.31 [84]	3.78 [96]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	7,8
500	DTG0500PC	6	20,83	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,3

GROUP N

PRIMARY VOLTAGE 208X416

SECONDARY VOLTAGE 120X240

50/60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	C2G0050NH	4	0.42/0.21	2.63 [67]	3.47 [88]	2.86 [73]	2.13 [54]	2.17 [55]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,5
75	C2G0075NH	4	0.63/0.31	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,1
100	C2G0100NH	4	0.83/0.42	3.00 [76]	3.86 [98]	3.13 [79]	2.52 [64]	2.60 [66]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	2,7
150	C2G0150NH	4	1.25/0.63	3.00 [76]	4.41 [112]	3.13 [79]	2.52 [64]	3.15 [80]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,7
250	C2G0250NH	6	2.08/1.04	3.75 [95]	4.22 [107]	3.70 [94]	3.31 [84]	2.99 [76]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	5,6
350	C2G0350NH	6	2.92/1.46	3.75 [95]	4.81 [122]	3.70 [94]	3.31 [84]	3.58 [91]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	7,4
500	C2G0500NH	6	4.17/2.08	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,8
750	C2G0750NH	6	6.25/3.13	5.25 [133]	5.75 [146]	4.76 [121]	4.50 [114]	4.05 [103]	.31 X .81 [7.9] X [20.6]	5.11 [130]	6.06 [154]	16,7

1000	C2G1000NH	6	8.33/4.17	5.25 [133]	6.54 [166]	4.76 [121]	4.50 [114]	4.84 [123]	.31 X .81 [7.9] X [20.6]	5.07 [129]	6.06 [154]	21,4
1500	C2G1500NH	6	12.50/6.25	6.37 [162]	7.25 [184]	5.70 [145]	5.75 [146]	5.23 [133]	.31 X .94 [7.9] X [23.8]	5.85 [149]	7.00 [178]	35,1

GROUP O

PRIMARY VOLTAGE 208X416

SECONDARY VOLTAGE 24

50/60 Hz

VA Rating	Catalog Number	Mtg Fig	Output Amps	Overall Dimensions			Mounting Centers		Mounting Slot	Height with Fuse Clips	Height with Fuse Block	Approx Ship Weight Lbs
				A	B	C	D	E	G X H			
50	C2G0050NC	4	2,08	2.63 [67]	3.67 [93]	2.86 [73]	2.13 [54]	2.36 [60]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	1,7
75	C2G0075NC	4	3,13	2.63 [67]	3.94 [100]	2.86 [73]	2.13 [54]	2.64 [67]	.22 X .44 [5.6] X [11.1]	N/A	4.16 [106]	2,1
100	C2G0100NC	4	4,17	3.00 [76]	4.06 [103]	3.13 [79]	2.52 [64]	2.80 [71]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	2,9
150	C2G0150NC	4	6,25	3.00 [76]	4.41 [112]	3.13 [79]	2.52 [64]	3.15 [80]	.22 X .44 [5.6] X [11.1]	N/A	4.43 [112]	3,7
250	C2G0250NC	6	10,42	3.75 [95]	4.41 [112]	3.70 [94]	3.31 [84]	3.19 [81]	.22 X .44 [5.6] X [11.1]	4.05 [103]	5.00 [127]	6,1
350	C2G0350NC	6	14,58	4.50 [114]	4.41 [112]	4.22 [107]	3.78 [96]	3.27 [83]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	8,6
500	C2G0500NC	6	20,83	4.50 [114]	4.81 [122]	4.22 [107]	3.78 [96]	3.66 [93]	.31 X .81 [7.9] X [20.6]	4.57 [116]	5.52 [140]	10,5

MOUNTING FIGURES

Fig. 4




Fig. 6





Fig. L



** data subject to change without notice*